

Plan Review Summary

Building Information

Project Name:	O'Keefe Fire Alarm Panel Closet	Floor/Room #:	Ground Floor
Building #:	033	Department:	Environmental Health & Safety
Occupancy Type:	Business	Budget:	\$14,465.00
Construction Type:	IIB	Type of Review:	Construction

Project Management

Project Manager:	Carla Barbour
Architect/Engineer of Record:	
Construction Manager:	Carla Barbour
Aim Project Number:	C0102-2015

Reviewer Information

Reviewer Name:	Jerry Marrison	Date Received:	7/18/2018
Disposition:	Approved	Date Completed:	8/7/2018

Status Statement

Note: Fire Alarm Closet

Review Comments:

1. None

General Note:

1. Inspection requests: <http://www.ehs.gatech.edu/fire/inspection-request>
2. Hot Work Permit Request: http://www.ehs.gatech.edu/fire/permit-request/hot_work

Plan / Shop Drawings Required:

1. Fire Suppression
2. Fire Alarm

Inspections Required:

1. Fire Safety Office Project Kick-Off Meeting
2. 80% Ceiling, Alarm, Sprinkler (vertical penetrations, junction boxes, lights tied at corners, sprinkler and fire alarm roughed in, etc.)
3. 100% Construction, Alarm Commissioning, Sprinkler Commissioning, Certificate of Occupancy (all work complete, commissioning of systems, close-out documents, etc.)

Permits Required:

1. Demolition
2. Construction / Interior Renovation
3. Fire Alarm

Permits Issued:

1. Demolition
 2. Construction / Interior Renovation
 3. Fire Alarm
- 2018-CP-260